

1170 ⑤ 전기 방송음향기기(24)

거래가격 2020년 7월호
 조사기간 6월 1일~10일

거래조건 · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 2px;">메이커</div> ① <div style="border: 1px solid black; padding: 2px;">수요자</div> </div>	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	---	--

방 송 음 향 시 스템 (24)

(가격단위 : 천원/대)

(생산자공표가격)

品 名	規 格	價 格 ①	品 名	規 格	價 格 ①
■ 테크데이타피에스 ● JBL 2516 Bracket 90 8124 4" 8Ω, 20W, 93dB 150 8128 8" 8Ω, 25W, 97dB 180 8138 8" 8Ω, 25W, 97dB 210 8320 150W Compact Surround Speaker 840 AC15(AC15WH) 16Ω, 150W, 86dB 1,485 AC16(AC16WH) 16Ω, 150W, 90dB 2,940 AC16WRC 16Ω, 150W, 90dB, Protected Outdoor Areas 6,300 AC16WRX 16Ω, 150W, 90dB, Extreme Environment 5,880 AC18/26(AC18/26WH) 8Ω, 250W, 92dB 3,600 AC18/26WRC 8Ω, 250W, 92dB, Protected Outdoor Areas 6,300 AC18/26WRX 8Ω, 250W, 92dB, Extreme Environment 7,080 AC18/95(AC18/95WH) 8Ω, 250W, 93dB 3,600 AC18/95WRC 8Ω, 250W, 93dB, Protected Outdoor Areas 6,300 AC18/95WRX 8Ω, 250W, 93dB, Extreme Environment 7,080 AC2212/00(AC2212/00-WH) Compact 12" 2way 250W, 50W (100°×100°) 3,900 AC2212/00-WRC Protected Outdoor Areas 7,350 AC2212/00-WRX Extreme Environment 8,550 AC2212/64(AC2212/64-WH) Compact 12" 2way 250W, 50W (60°×40°) 3,900 AC2212/64-WRC Protected Outdoor Areas 7,350 AC2212/64-WRX Extreme Environment 8,550 AC2212/95(AC2212/95-WH) Compact 12" 2way 250W, 50W (90°×50°) 3,900 AC2212/95-WRC Protected Outdoor Areas 7,350 AC2212/95-WRX Extreme Environment 8,550 AC2215/00(AC2215/00-WH) Compact 15" 2way 250W, 30W (100°×100°) 4,410 AC2215/00-WRC Protected Outdoor Areas 7,860 AC2215/00-WRX Extreme Environment 9,150 AC2215/64(AC2215/64-WH) Compact 15" 2way 250W, 30W (60°×40°) 4,410 AC2215/64-WRC Protected Outdoor Areas 7,860 AC2215/64-WRX Extreme Environment 9,150 AC2215/95(AC2215/95-WH) Compact 15" 2way 250W, 30W (90°×50°) 4,410 AC2215/95-WRC Protected Outdoor Areas 7,860 AC2215/95-WRX Extreme Environment 9,150 AC25(AC25WH) 16Ω, 225W, 91dB 2,670 AC26(AC26WH) 8Ω, 180W, 92dB 4,350 AC26WRC 8Ω, 180W, 92dB, Protected Outdoor Areas 6,600 AC26WRX 8Ω, 180W, 92dB, Extreme Environment 7,050 AC28/26(AC28/26WH) 8Ω, 375W, 94dB 5,100 AC28/26WRC 8Ω, 375W, 94dB, Protected Outdoor Areas 7,500 AC28/26WRX 8Ω, 375W, 94dB, Extreme Environment 8,250 AC28/95(AC28/95WH) 8Ω, 375W, 94dB 5,100 AC28/95WRC 8Ω, 375W, 94dB, Protected Outdoor Areas 7,500 AC28/95WRX 8Ω, 375W, 94dB, Extreme Environment 8,250 AL7115(AL7115-WH) 15" Lowfrequency, 600W 5,700 AL7115-WRC Protected Outdoor Areas 9,150 AL7115-WRX Extreme Environment 11,340 AM5212/00(AM5212/00-WH) 12" 2way, 300W, 40W (100°×100°) 6,000 AM5212/00-WRC Protected Outdoor Areas 9,450 AM5212/00-WRX Extreme Environment 11,340 AM5212/26(AM5212/26-WH) 12" 2way, 300W, 40W (120°×60°) 6,000 AM5212/26-WRC Protected Outdoor Areas 9,450 AM5212/26-WRX Extreme Environment 11,340 AM5212/64(AM5212/64-WH) 12" 2way, 300W, 40W (60°×40°) 6,000 AM5212/64-WRC Protected Outdoor Areas 9,450 AM5212/64-WRX Extreme Environment 11,340 AM5212/66(AM5212/66-WH) 12" 2way, 300W, 40W (60°×60°) 6,000 AM5212/66-WRC Protected Outdoor Areas 9,450	■ 테크데이타피에스 ● JBL AM5212/66-WRX Extreme Environment 11,340 AM5212/95(AM5212/95-WH) 12" 2way, 300W, 40W, (90°×50°) 6,000 AM5212/95-WRC Protected Outdoor Areas 9,450 AM5212/95-WRX Extreme Environment 11,340 AM5215/26(AM5215/26-WH) 15" 2way, 350W, 40W, (120°×60°) 6,600 AM5215/26-WRC Protected Outdoor Areas 10,710 AM5215/26-WRX Extreme Environment 12,600 AM5215/64(AM5215/64-WH) 15" 2way, 350W, 40W, (60°×40°) 6,600 AM5215/64-WRC Protected Outdoor Areas 10,710 AM5215/64-WRX Extreme Environment 12,600 AM5215/66(AM5215/66-WH) 15" 2way, 350W, 40W, (60°×60°) 6,600 AM5215/66-WRC Protected Outdoor Areas 10,710 AM5215/66-WRX Extreme Environment 12,600 AM5215/95(AM5215/95-WH) 15" 2way, 350W, 40W, (90°×50°) 6,600 AM5215/95-WRC Protected Outdoor Areas 10,710 AM5215/95-WRX Extreme Environment 12,600 AM7200/64(AM7200/64-WH) High Power Mid-High 350W, 100W, (60°×40°) 10,080 AM7200/64-WRC Protected Outdoor Areas 14,160 AM7200/64-WRX Extreme Environment 15,750 AM7200/95(AM7200/95-WH) High Power Mid-High 350W, 100W, (90°×50°) 10,080 AM7200/95-WRC Protected Outdoor Areas 14,160 AM7200/95-WRX Extreme Environment 15,750 AM7212/00(AM7212/00-WH) 12" 2way, 700W, 100W, (100°×100°) 9,150 AM7212/00-WRC Protected Outdoor Areas 12,600 AM7212/00-WRX Extreme Environment 14,160 AM7212/26(AM7212/26-WH) 12" 2way, 700W, 100W, (120°×60°) 9,150 AM7212/26-WRC Protected Outdoor Areas 12,600 AM7212/26-WRX Extreme Environment 14,160 AM7212/64(AM7212/64-WH) 12" 2way, 700W, 100W, (60°×40°) 9,150 AM7212/64-WRC Protected Outdoor Areas 12,600 AM7212/64-WRX Extreme Environment 14,160 AM7212/66(AM7212/66-WH) 12" 2way, 700W, 100W, (60°×60°) 9,150 AM7212/66-WRC Protected Outdoor Areas 12,600 AM7212/66-WRX Extreme Environment 14,160 AM7212/95(AM7212/95-WH) 12" 2way, 700W, 100W, (90°×50°) 9,150 AM7212/95-WRC Protected Outdoor Areas 12,600 AM7212/95-WRX Extreme Environment 14,160 AM7215/26(AM7215/26-WH) 15" 2way, 750W, 100W, (120°×60°) 9,750 AM7215/26-WRC Protected Outdoor Areas 13,860 AM7215/26-WRX Extreme Environment 15,450 AM7215/64(AM7215/64-WH) 15" 2way, 750W, 100W, (60°×40°) 9,750 AM7215/64-WRC Protected Outdoor Areas 13,860 AM7215/64-WRX Extreme Environment 15,450 AM7215/66(AM7215/66-WH) 15" 2way, 750W, 100W, (60°×60°) 9,750 AM7215/66-WRC Protected Outdoor Areas 13,860 AM7215/66-WRX Extreme Environment 15,450 AM7215/95(AM7215/95-WH) 15" 2way, 750W, 100W, (90°×50°) 9,750 AM7215/95-WRC Protected Outdoor Areas 13,860 AM7215/95-WRX Extreme Environment 15,450 AM7315/64(AM7315/64-WH) High Power 3way 750W, 350W, 100W, (60°×40°) 13,500 AM7315/64-WRC Protected Outdoor Areas 17,010 AM7315/64-WRX Extreme Environment 18,900 AM7315/95(AM7315/95-WH) High Power 3way 750W, 350W, 100W, (90°×50°) 13,500 AM7315/95-WRC Protected Outdoor Areas 17,010 AM7315/95-WRX Extreme Environment 18,900 ASB4128(ASB4128-WH) Dual 18" Subwoofer 600W 9,150 ASB4128-WRC Protected Outdoor Areas 12,600				

세계적인 음향 브랜드 하만, (주)테크데이타 피에스가 함께합니다.

공식수입사 **TechData** Professional Services 대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

거래가격 2020년 7월호
 조사기간 6월 1일~10일

⑤ 전기 방송음향기기 (25) 1171

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
---	----------------------------------	--

방 송 음 향 시 스템 (25)

(가격단위 : 천원/대)

(생산자공표가격)

品名	規 格	價 格 ①	品名	規 格	價 格 ①
<p>■ 테크데이타피에스</p> <p>● JBL</p>			<p>■ 테크데이타피에스</p> <p>● JBL</p>		
ASB4128-WRX	Extreme Environment	14,790	CBT70JE-1(CBT70JE-1-WH)	8Ω, 350W, 90dB	2,850
ASB6112(ASB6112-WH)	Compact Single 12" Subwoofer 700W	5,100	CONTROL126W	8Ω, 100W, 88dB, In-WallSpeaker	750
ASB6112-WRC	Protected Outdoor Areas	8,820	CONTROL126WT	8Ω, 100W, 88dB, In-WallSpeaker, Transformer	840
ASB6112-WRX	Extreme Environment	10,710	CONTROL128W	8Ω, 100W, 90dB, In-WallSpeaker	960
ASB6115(ASB6115-WH)	Single 15" Subwoofer 675W	6,000	CONTROL128WT	8Ω, 100W, 90dB, In-WallSpeaker, Transformer	1,050
ASB6115-WRC	Protected Outdoor Areas	9,450	CONTROL12C/T(CONTROL12C/T-BK)	3"FULL-RANGE Ceiling SPKR	330
ASB6115-WRX	Extreme Environment	11,970	CONTROL14C/T(CONTROL14C/T-BK)	4" CO-AX Ceiling SPKR	450
ASB6118(ASB6118-WH)	Single 18" Subwoofer 800W	7,560	CONTROL16C/T(CONTROL16C/T-BK)	6-1/2" CO-AX Ceiling SPKR	570
ASB6118-WRC	Protected Outdoor Areas	10,410	CONTROL19CS	8Ω, 200W, 95dB(CeilingSubwoofer)	1,020
ASB6118-WRX	Extreme Environment	12,600	CONTROL19CST	8Ω, 200W, 96dB	1,140
ASB6125(ASB6125-WH)	Dual 15" Subwoofer 1350W	9,450	CONTROL226C/T	8Ω, 100W, 90dB, Transformer	1,500
ASB6125-WRC	Protected Outdoor Areas	14,160	CONTROL227C	8Ω, 150W, 90dB, Transformer	1,200
ASB6125-WRX	Extreme Environment	17,310	CONTROL227C/T	8Ω, 150W, 90dB	1,350
ASB6128(ASB6128-WH)	Dual 18" Subwoofer 1600W	11,970	CONTROL23-1(CONTROL23-1-WH)	8Ω, 50W, 86dB	420
ASB6128V(ASB6128V-WH)	Extended Response Dual 18" Subwoofer 1600W	13,200	CONTROL24CMICRO	8Ω, 30W, 86dB	273
ASB6128-WRC	Protected Outdoor Areas	16,680	CONTROL24CTMICRO	8Ω, 30W, 86dB	294
ASB6128-WRX	Extreme Environment	17,310	CONTROL24C	16Ω, 80W, 86dB	420
ASB7118(ASB7118-WH)	Single 18" Subwoofer 1200W	11,340	CONTROL24CT	16Ω, 80W, 86dB	450
ASB7118-WRC	Protected Outdoor Areas	15,900	CONTROL25-1(CONTROL25-1-WH)	8Ω, 100W, 90dB	630
ASB7118-WRX	Extreme Environment	18,900	CONTROL25AV(CONTROL25AV-WH)	8Ω, 200W, 113dB	660
ASB7128(ASB7128-WH)	Dual 18" Subwoofer 2400W	19,800	CONTROL26C	16Ω, 150W, 89dB	540
ASB7128-WRC	Protected Outdoor Areas	28,500	CONTROL26CT	16Ω, 150W, 89dB	600
ASB7128-WRX	Extreme Environment	31,500	CONTROL26CT-LS	16Ω, 150W, 89dB	630
ASH6118(ASH6118-WH)	Single 18" Subwoofer 800W	12,600	CONTROL26-DT	Ceiling SPKR-Xfmr no Backcan	390
AW266(AW266-BK)	Compact 12" 2way 500W	12,900	CONTROL28-1(CONTROL28-1-WH)	8Ω, 175W, 92dB	1,020
AW266-LS(AW266-BK)	Compact 12" 2way 500W	12,900	CONTROL30(CONTROL30-WH)	4Ω, 500W, 93dB	3,450
AW295(AW295-BK)	Compact 12" 2way 500W	12,900	CONTROL312CS	8Ω, 400W, 93dB, Subwoofer	2,190
AW295-LS(AW295-LS-BK)	Compact 12" 2way 500W	13,800	CONTROL321C	8Ω, 200W, 94dB	1,740
AW526(AW526-BK)	Compact 15" 2way 600W	13,800	CONTROL321CT	8Ω, 200W, 94dB, Transformer	1,890
AW526-LS(AW526-LS-BK)	Compact 15" 2way 600W	13,800	CONTROL322C	8Ω, 250W, 95dB	2,520
AW566(AW566-BK)	Compact 15" 2way 600W	13,800	CONTROL322CT	8Ω, 250W, 95dB, Transformer	2,670
AW566-LS(AW566-LS-BK)	Compact 15" 2way 600W	13,800	CONTROL328C	8Ω, 250W, 93dB, 8"	1,410
AW595(AW595-BK)	Compact 15" 2way 600W	13,800	CONTROL328CT	8Ω, 250W, 93dB, 8", Transformer	1,590
AW595-LS(AW595-LS-BK)	Compact 15" 2way 600W	3,600	CONTROL40CS/T	PREMIUM IN-Ceiling Subwoofer	1,590
AWC129(AWC129-BK)	All-Weather Co-ax, 12" 2-way	5,400	CONTROL42C	PREMIUM IN-Ceiling Satellite	315
AWC159(AWC159-BK)	15" All Weather Compact Coax	4,200	CONTROL45C/T	PREMIUM IN-Ceiling COAX w/5.25"	960
AWC15LF(AWC15LF-BK)	All Weather Compact Subwoofer	1,950	CONTROL47C/T	PREMIUM IN-Ceiling COAX w/6.5"	1,110
AWC82(AWC82-BK)	All-Weather Compact 2way 200W, Transformer	270	CONTROL47HC	PREMIUM HIGH-Ceiling COAX w/6.5"	1,260
C1PRO(브래킷포함/C1PRO-WH)	4Ω, 150W, 87dB SPL	510	CONTROL47LP	PREMIUM LOW-PROFILE Ceiling	960
C24CTMICROPLUS	8Ω, 30W, 85dB	450	Control5(브래킷포함)/CONTROL5-WH	4Ω, 175W, 89dB SPL	660
C24CT	Control 24CT With Transformer	960	CONTROL50S/T(CONTROL50S/T-WH)	8Ω, 300W, 115dB, Subwoofer	1,500
C25AV-LS(C25AV-LS-WH)	UL Life Safety Versionof C25AV	840	CONTROL52(CONTROL52-WH)	16Ω, 50W, 85dB, Satellite Speaker	270
C26CT-LS	UL Version 6.5" Ceiling W/X-FRMER	1,590	CONTROL85M	Two-Way 5.25" Coaxial Landscape Speaker	960
C29AV-1(C29AV-WH-1)	8Ω, 300W, 90dB	720	CONTROL88M	Two-Way 8" Coaxial Landscape Speaker	1,410
C2PM	Powered, 35W, 111dB	930	CONTROLCRV(CONTROLCRV-WH)	4Ω, 150W, 89dB	990
C2PS	Powered, 35W, 115dB	1,750	CONTROL8B-2	8Ω, 340W, Subwoofer	1,440
C40CS/T	8Ω, 200W, 95dB, Subwoofer	2,460	CONTROL8B2210(CONTROL8B2210-WH)	8Ω, 500W, 95dB, Subwoofer	2,940
C50PACK(C50PACK-WH)	Subwoofer	1,620	CSS1-S/T	8Ω, 60W, 86dB, Transformer Taps	510
C60PS/T(C60PS/T-WH)	Subwoofer	411	CSS8004(CSS-TR4/8X2pcs필요함)	Ceiling Speaker 15W	75
C62P(C62P-WH)	16Ω, 30W, 87dB	915	CSS8008(CSS-TR4/8X2pcs필요함)	Ceiling Speaker 15W	96
C65P/T(C65P/T-WH)	8Ω, 150W, 86dB	1,590	CSS8018(CSS-TR4/8X2pcs필요함)	Ceiling Speaker 20W	135
C67HC/T(C67HC/T-WH)	8Ω, 150W, 93dB	1,290	CSS-BB4x6pcs	CSS Backcan, 4"	195
C67P/T(C67P/T-WH)	8Ω, 150W, 90dB	2,100	CSS-BB8x6pcs	CSS Backcan, 8"	375
CBT50LA-LS-WH(CBT50LA-LS)	EN54-24 Certification 1 per carton	3,480	CSS-H15	15Watt Paging Horn (6 in masterpack)	360
CBT100LA-1(CBT100LA-1-WH)	8Ω, 200W, 93dB	8,190	CSS-H30	30Watt Paging Horn (4 in masterpack)	480
CBT200LA-1(CBT200LA-1-WH)	650W, 119dB	1,890	CSS-TR4/8x12pcs	Tile Rails	105
CBT50LA-1(CBT50LA-1-WH)	8Ω, 100W, 93dB	5,040	CWT128(CWT128-WH)	Dual 8" 850W, 94dB	6,900
CBT70J-1(CBT70J-1-WH)	8Ω, 350W, 120dB				


세계적인 음향 브랜드 하만, (주)테크데이타 피에스가 함께합니다.



공식수입사 **TechData** Professional Services 대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

1172 ⑤ 전기 방송음향기기(26)

거래가격 2020년 7월호
조사기간 6월 1일~10일

거래조건 · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 매 이 커 — ① — 수 요 자	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	----------------------------------	--

방 송 음 향 시 스템 (26)

(가격단위 : 천원/대)

(생산자공표가격)

品 名	規 格	價 格 ①	品 名	規 格	價 格 ①
■ 테크데이터피에스			■ 테크데이터피에스		
● JBL			● JBL		
CWT128-WRC	Protected Outdoor Areas	8,700	MTC-CBT-SMB1	CBT Bracket	210
CWT128-WRX	Extreme Environment	10,500	MTC-RAIL	Tile Rail For 8124&8128	45
DC115	Intellivox 320W	15,600	MTC-RG6/8	Grille For C328, C227	102
DS115	Intellivox 320W	17,400	MTC-SG6/8	Square Grille For C328, C227	180
DC180	Intellivox 320W	22,500	MTC-TB6/8	Tile-Bridge For MTC-200BB6&MTC-300BB8	90
DS180/DSX180	Intellivox 320W	25,500	MTU-1(MTU-1-WH)	"U" Bracket For AM7215/xx and AM5215/xx	630
DC280	Intellivox 320W	33,000	MTU-15(MTU-15-WH)	"U" Bracket For AC15	249
DS280/DSX280	Intellivox 320W	36,000	MTU-16(MTU-16-WH)	"U" Bracket For AC16	327
DC430	Intellivox 640W	48,000	MTU-18(MTU-18-WH)	"U" Bracket For AC18	384
DS430/DSX430	Intellivox 640W	54,000	MTU-2(MTU-2-WH)	U-Bracket For MODELAC2215/xx	630
DC500	Intellivox 640W	63,000	MTU-25(MTU-25-WH)	"U" Bracket For AC25	306
DS500/DSX500	Intellivox 640W	69,000	MTU-26(MTU-26-WH)	"U" Bracket For AC26	360
HP-DS170	Intellivox 1200W	45,000	MTU-28(MTU-28-WH)	"U" Bracket For AC28	474
HP-DS370	Intellivox 1600W	81,000	MTU-3(MTU-3-WH)	AE Series 28-1/2"U-Bracket(white)	660
EON208P	JBL Packaged PA System (300W/8인치)	2,310	MTU-4(MTU-4-WH)	AE Series 22-1/4"U-Bracket(white)	660
EON610	10" 2-way Powered Portable Speaker	1,728	MTU7212	U-Bracket 12"	1,590
EON612	12" 2-way Powered Portable Speaker	1,944	MTU7215	U-Bracket 15"	1,950
EON615	15" 2-way Powered Portable Speaker	2,340	MTU-895	8" 2-way full-range system	300
EON618S	18" Powered Subwoofer	2,970	PA7212-18H	2way Plannar Array Kit	5,400
EONONE	All-in-One Linear-Array PA System	3,300	PA7212-18V	2way Plannar Array Kit	4,950
EONONEPRO	All-in-One Linear-Array PA System	4,800	PA7212-2/PA7215-2/PA7315-2	2way Plannar Array Kit	3,900
EONONECOMPACT	All-in-One Linear-Array PA System	2,700	PAF-1K(PAF-1K-WH)	AE Planar Array Frame 1	5,040
JBLPOLE-GA	JBL gas assist speaker pole	384	PAF-2K(PAF-2K-WH)	AE Planar Array Frame 2	6,300
JBLPOLE-MA	JBL manual adjust speakerpole	240	PAF-3K(PAF-3K-WH)	AE Planar Array Frame 3	6,600
JBLTRIPOD-GA	JBL lift assist speaker tripod	594	PD525S	Dual 15" Subwoofer	8,400
JBLTRIPOD-MA	JBL manual adjust speaker tripod	240	PD525-WRC	Dual 15" Subwoofer	12,000
			PD525-WRX	Dual 15" Subwoofer	15,600
JRX212	8Ω, 250W, 98dB	945			
JRX215	8Ω, 250W, 99dB	1,038	PD544	15" 2-way full-range, 40×40	12,000
JRX218S	4Ω, 350W, 96dB, Subwoofer	1,638	PD544-WRC	15" 2-way full-range, 40×40 IP55	12,600
JRX225	4Ω, 500W, 100dB	1,575	PD544-WRX	15" 2-way full-range, 40×40 IP56	15,900
305PMKII	5" Powered studio monitor 108dB	630	PD564	15" 2-way full-range, 60×40	12,000
308PMKII	8" Powered studio monitor 112dB	1,080	PD564-WRC	15" 2-way full-range, 60×40 IP55	12,600
LSR310S	10" Powered studio subwoofer 113dB	1,470	PD564-WRX	15" 2-way full-range, 60×40 IP56	15,900
LSR6312SP	Powered Studio Subwoofer, 260W, 96dB	7,200	PD566	15" 2-way full-range, 60×60	12,000
LSR6325P/5.1	LSR6325P/5.1CH	16,500	PD566-WRC	15" 2-way full-range, 60×60 IP5	12,600
LSR6325P-1	Self Powered studio monitor, 100W, 96dB	1,920	PD566-WRX	15" 2-way full-range, 60×60 IP56	15,900
LSR705i	5-Inch 2-way Master Reference Monitor	2,100	PD595	15" 2-way full-range, 90×50	12,000
LSR708i	8-Inch 2-way Master Reference Monitor	4,500	PD595-WRC	15" 2-way full-range, 90×50 IP55	12,600
LSR705P	5" Bi-Amplified Master Reference Monitor	4,200	PD595-WRX	15" 2-way full-range, 90×50 IP56	15,900
LSR708P	8" Bi-Amplified Master Reference Monitor	8,400	PD6200/43(PD6200/43-WH)	Two-way mid-high horn-loaded loudspeaker	17,100
M2	Master Reference Monitor, 1200W	22,500	PD6200/43-WRC	Two-way mid-high horn-loaded loudspeaker	19,800
MTC-126RIF	Control100 Series option	96	PD6200/43-WRX	Two-way mid-high horn-loaded loudspeaker	23,100
MTC-128RIF	Control100 Series option	96	PD6200/64(PD6200/64-WH)	Two-way mid-high horn-loaded loudspeaker	12,000
MTC-200BB6	Control200 Series option	240	PD6200/64-WRC	Two-way mid-high horn-loaded loudspeaker	13,500
MTC-2P	C2PS Mounting Bracket	90	PD6200/64-WRX	Two-way mid-high horn-loaded loudspeaker	18,000
MTC-300BB12	Control300 Series option	900	PD6200/66(PD6200/66-WH)	Two-way mid-high horn-loaded loudspeaker	12,000
MTC-300BB8	Control300 Series option	300	PD6200/66-WRC	Two-way mid-high horn-loaded loudspeaker	13,500
MTC-300SG12	Control300 Series option	135	PD6200/66-WRX	Two-way mid-high horn-loaded loudspeaker	18,000
MTC-300T150	Control300 Series option	285	PD6200/95(PD6200/95-WH)	Two-way mid-high horn-loaded loudspeaker	12,000
MTC-42MR	Control40 Series option	480	PD6200/95-WRC	Two-way mid-high horn-loaded loudspeaker	13,500
MTC-42NC	Control40 Series option	375	PD6200/95-WRX	Two-way mid-high horn-loaded loudspeaker	18,000
MTC-47MR	Control40 Series option	780	PD6212/43(PD6212/43-WH)	12" two-way horn-loaded loudspeaker	18,600
MTC-47NC	Control40 Series option	600	PD6212/43-WRC	12" two-way horn-loaded loudspeaker	20,400
MTC-8124C	8100 Series option	54	PD6212/43-WRX	12" two-way horn-loaded loudspeaker	23,400
MTC-8128C	8100 Series option	60	PD6212/64(PD6212/64-WH)	12" two-way horn-loaded loudspeaker	13,500
MTC81BB8	8100 Series option	135	PD6212/64-WRC	12" two-way horn-loaded loudspeaker	16,200
MTC81TB8	8100 Series option	75	PD6212/64-WRX	12" two-way horn-loaded loudspeaker	20,700



세계적인 음향 브랜드 하만, (주)테크데이터 피에스가 함께합니다.











공식수입사 **TechData** Professional Services 대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

거래가격 2020년 7월호
 조사기간 6월 1일~10일

⑤ 전기 방송음향기기 (27) 1173

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
---	----------------------------------	--

방 송 음 향 시 스템 (27)

(가격단위 : 천원/대)

(생산자공표가격)

品名	規 格	價 格 ①	品名	規 格	價 格 ①
<p>■ 테크데이터피에스</p> <p>● JBL</p>			<p>■ 테크데이터피에스</p> <p>● JBL</p>		
PD6212/66(PD6212/66-WH)	12" two-way horn-loaded loudspeaker	13,500	VLA301H-WRC	Protected Outdoor Areas	54,000
PD6212/66-WRC	12" two-way horn-loaded loudspeaker	16,200	VLA301H-WRX	Extreme Environment	60,000
PD6212/66-WRX	12" two-way horn-loaded loudspeaker	20,700	VLA601	3Way LineArray, 1200W, 700W, 225W	39,000
PD6212/95(PD6212/95-WH)	12" two-way horn-loaded loudspeaker	13,500	VLA601-WRC	Protected Outdoor Areas	42,000
PD6212/95-WRC	12" two-way horn-loaded loudspeaker	16,200	VLA601-WRX	Extreme Environment	45,000
PD6212/95-WRX	12" two-way horn-loaded loudspeaker	20,700	VLA601H	3Way LineArray, 1200W, 1400W, 450W	45,000
PD6322/43(PD6322/43-WH)	Dual 12" three-way full-range loudspeaker	21,600	VLA601H-WRC	Protected Outdoor Areas	48,000
PD6322/43-WRC	Dual 12" three-way full-range loudspeaker	23,400	VLA601H-WRX	Extreme Environment	54,000
PD6322/43-WRX	Dual 12" three-way full-range loudspeaker	26,700	VLA901	3Way LineArray, 1200W, 700W, 225W	39,000
PD6322/64(PD6322/64-WH)	Dual 12" three-way full-range loudspeaker	15,900	VLA901-WRC	Protected Outdoor Areas	42,000
PD6322/64-WRC	Dual 12" three-way full-range loudspeaker	18,600	VLA901-WRX	Extreme Environment	45,000
PD6322/64-WRX	Dual 12" three-way full-range loudspeaker	22,800	VLA901H	3Way LineArray, 1200W, 1400W, 450W	45,000
PD6322/66(PD6322/66-WH)	Dual 12" three-way full-range loudspeaker	15,900	VLA901H-WRC	Protected Outdoor Areas	48,000
PD6322/66-WRC	Dual 12" three-way full-range loudspeaker	18,600	VLA901H-WRX	Extreme Environment	54,000
PD6322/66-WRX	Dual 12" three-way full-range loudspeaker	22,800	VRX915M	8Ω, 800W, 98dB, 15" Stage Monitor	7,560
PD6322/95(PD6322/95-WH)	Dual 12" three-way full-range loudspeaker	15,900	VRX915S(VRX915S-WH)	4Ω, 800W, 91dB, 15" Flying Subwoofer	5,670
PD6322/95-WRC	Dual 12" three-way full-range loudspeaker	18,600	VRX918S(VRX918S-WH)	8Ω, 800W, 95dB, 18" Flying Subwoofer	6,300
PD6322/95-WRX	Dual 12" three-way full-range loudspeaker	22,800	VRX918SP	18" Powered Subwoofer, 1500W, 126dB	9,450
PD743	HIGH OUTPUT COAX 40×30 (Mid-High)	27,500	VRX928LA(VRX928LA-WH)	8Ω, 400W, 90dB, 8" Line Array	6,930
PD743-WRC	HIGH OUTPUT COAX 40×30 (Mid-High)	41,250	VRX932LA-1(VRX932LA-1-WH)	8Ω, 800W, 95dB, 12" Line Array	10,380
PD743-WRX	HIGH OUTPUT COAX 40×30 (Mid-High)	43,125	VRX932LAP	12" Powered, 875W, 136dB	13,860
PD764	HIGH OUTPUT COAX 60×40 (Mid-High)	33,750	VRX-AF	VRX Array Frame	3,780
PD764-WRC	HIGH OUTPUT COAX 60×40 (Mid-High)	36,000	VRX-SMAF	VRX small Array Frame	2,250
PD764-WRX	HIGH OUTPUT COAX 60×40 (Mid-High)	45,500	VT4883	SUBCOMPACT 2x12" Array Able Subwoofer	13,500
PM42	42" Pole	600	VT4886	Full Range Line Array Element	13,500
PMB-BK(PMB-WH)	Pole Mount Bracket For CCRV	180	VT4886-AF	SUBCOMPACT System Array Frame	7,200
PRX412M(PRX412M-WH)	8Ω, 300W, 95dB	1,950	VT4886-DF88	SUBCOMPACT System Down Fill Frame	6,900
PRX415M(PRX415M-WH)	8Ω, 300W, 98dB	2,100	VT4886-DF89	SUBCOMPACT System Down Fill Frame	7,200
PRX418S	8Ω, 800W, 95dB, Subwoofer	2,850	VT4886-HB	Vertec SUBCOMPACT Bracket	4,200
PRX425	4Ω, 600W, 100dB	2,850	VT4886-SF	SUBCOMPACT System Short Frame	5,700
PRX812W	12" Self-powered, 1500W, 135dB	3,300	VT4886-UB	Vertec SUBCOMPACT Bracket	1,800
PRX815W	15" Self-powered, 1500W, 137dB	3,600	VT4886-UB1	Vertec SUBCOMPACT Bracket	1,200
PRX815XLFW	15" Self-powered, 1500W, 131dB	3,750	VTX-M20	S/M, 10" Dual	11,700
PRX818XLFW	18" Self-powered, 1500W, 134dB	4,350	VTX-M22	S/M, 12" Dual	13,800
PRX825	Dual 15" Self-powered, 1500W, 138dB	4,800	VTX-F12	S/M, VTX-F12	10,500
PRX835	3way 15" Self-powered, 1500W, 138dB	4,800	VTX-F15	2-way 15" multipurpose fill/floor mtr	12,600
SM7200	Pole Mount Bracket	1,020	VTX-F18S	S/M, VTX-F18S	12,600
SRX812	12" Bass-Reflex Stage Monitor	3,900	VTX-G28	Dual 18" Subwoofer, Ground-Stack	25,500
SRX812P	12" Bass-Reflex Stage Monitor	6,048	VTX-G28-ACC	S/M, VTX-G28-ACC	5,400
SRX815	15" Two-Way Bass Reflex Loudspeaker	4,200	VTX-S25	S/M, VTX-S25	22,500
SRX815P	15" Two-Way Bass Reflex Loudspeaker	6,480	VTX-S25-VT	VTX S25 Vertical Transporter	3,600
SRX818S	18" Single Subwoofer	4,800	VTX-S25-VT-CVR	VTX S25 Vertical Transporter Protective Cover	3,300
SRX818SP	18" Single Subwoofer	7,344	VTX-S28	Dual 18" Subwoofer, Suspend Able	27,000
SRX828S	18" Double Subwoofer	6,300	VTX-S28-ACC	S/M, VTX-S28-ACC	5,100
SRX828SP	18" Double Subwoofer	9,072	VTX-S28-VT	VTX S28 Vertical Transporter	10,800
SRX835	3-way 15" Bass Reflex Loudspeaker	5,100	VTX-S28-VT-CVR	Vertical Transporter Soft Cover	3,600
SRX835P	3-way 15" Bass Reflex Loudspeaker	7,344	VTX-V20	S/M, VTX-V20	31,500
SS2-BK	TRIPOD MOUNT SR/MR, EON, TR105/125, CNTRL5	630	VTX-V20-AF	Array Frame, VTX-V20	14,100
SS3-BK	SPEAKER POLE MOUNT	180	VTX-V20-AF-EB	VTX V20 Array Frame Extension Bar	4,080
SS3-BK24	SMSS3-BK24	150	VTX-V20-DF	V25릴에, V20 Down Fill	12,600
SS4-BK	SPEAKER POLE MOUNT	390	VTX-V20-VT	VTX V20 Vertical Transporter	4,500
SS4-BK24	SMSS4-BK24	174	VTX-V20-VT-CVR	VTX V20 Vertical Transporter	3,300
SS5-BK	TRIPOD MOUNT SR/MR, EON, TR105/125, CNTRL5	870	VTX-V25	Fullsize 3-Way Line Array Element	53,400
VLA301	3Way Line Array, 1200W, 700W, 225W	45,000	VTX-V25H	Fullsize 3-Way Line Array Element	54,900
VLA301-WRC	Protected Outdoor Areas	48,000	VTX-V25HICS	-	54,900
VLA301-WRX	Extreme Environment	51,000	VTX-V25-ACC	S/M, VTX-V25-ACC	4,050
VLA301H	3Way Line Array, 1200W, 1400W, 450W	51,000	VTX-V25-AF	Array Frame, VTX-V25	17,700



세계적인 음향 브랜드 하만, (주)테크데이터 피에스가 함께합니다.











공식수입사 TechData Professional Services 대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

1174 ⑤ 전기 방송음향기기(28)

거래가격 2020년 7월호
 조사기간 6월 1일~10일

거래조건 · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 메이커 — ① — 수요자	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	------------------------------	--

방 송 음 향 시 스템 (28)

(가격단위 : 천원/대)

(생산자공표가격)

品名	規 格	價 格 ①	品名	規 格	價 格 ①
■ 테크데이터피에스			■ 테크데이터피에스		
● JBL			● Crown		
VTX-V25-AF-EB	Extension Bar, VTX-V25-AF	5,490	IT5000HD	Dual, per CH-4Ω 2500W/8Ω 1250W	17,400
VTX-V25-AF-I	VTX V25 Array Install Version	21,600	IT9000HD	Dual, per CH-4Ω 3500W/8Ω 1500W	21,000
VTX-V25-ASP	V25 Acoustical Spare Parts kit	13,500	IT12000HD	Dual, per CH-4Ω 4500W/8Ω 2100W	25,800
VTX-V25-MSP	V25 Mechanical Spare Parts kit	9,450	IT4X3500HDB	4ch, per CH-4Ω 2400W/8Ω 1900W	27,000
VTX-V25-VT	VTX V25 Vertical Transporter	12,600	IT4X3500HDS	4ch, per CH-4Ω 2400W/8Ω 1900W	27,000
VTX-V25-VT-CVR	Vertical Transporter Soft Cover	3,600	MA5000i	Dual, per CH-4Ω 2500W/8Ω 1250W	13,500
VTX-VT-FL	VTX Vertical Transporter Fork Lift Adapter	5,880	MA9000i	Dual, per CH-4Ω 3500W/8Ω 1500W	16,500
VTXA8	8" 3-Way Line Array Element	27,000	MA12000i	Dual, per CH-4Ω 4500W/8Ω 2100W	22,500
VTXA8AF	Array Frame, VTXA8	12,000	PIP-BLUModule	PIP™ input module	2,400
VTXA8VT	VTX A8 Vertical Transporter	5,000	RM1	Single Unit Rack Mount Kit for 135MA/160MA	90
VTXA8VTCVR	VTX A8 Vertical Transporter Cover	3,300	RM2	Double Unit Rack Mount Kit for 135MA/160MA	60
VTXA8BP	VTX A8 Base Plate	2,500	COVER	10pack of Security Knobs	75
VTXB18	VTX 18" Subwoofer	20,000	T170V	Constant-Voltage Transformer	300
VTXB18VT	Vertical Transporter	5,000	TP170V	Constant-Voltage Transformer Panel	1,350
VTXB18VTCVR	Subwoofer Vertical Transporter Cover	4,200	VRACK	Complete Amplification System	30,000
VTXA12	12" 3-Way Line Array Element	51,000	XFMR4	4ch, Constant	1,050
VTXA12AF	Array Frame, VTX A12	19,500	XFMR8	8ch, Constant	1,890
VTXA12VT	VTX A12 Vertical Transporter	7,800	XLi800	Dual, per CH-4Ω 300W/8Ω 200W	900
VTXA12VTCVR	VTX A12 Vertical Transporter Cover	3,600	XLi1500	Dual, per CH-4Ω 450W/8Ω 330W	1,080
			XLi2500	Dual, per CH-4Ω 750W/8Ω 500W	1,650
			XLi3500	Dual, per CH-4Ω 1350W/8Ω 1000W	2,970
			XLS1002	Dual, per CH-4Ω 350W/8Ω 215W	1,260
			XLS1502	Dual, per CH-4Ω 525W/8Ω 300W	1,590
			XLS2002	Dual, per CH-4Ω 650W/8Ω 375W	2,040
			XLS2502	Dual, per CH-4Ω 775W/8Ω 450W	2,340
			XTi1002	Dual, per CH-4Ω 500W/8Ω 275W	2,160
			XTi2002	Dual, per CH-4Ω 800W/8Ω 475W	2,970
			XTi4002	Dual, per CH-4Ω 1200W/8Ω 650W	4,140
			XTi6002	Dual, per CH-4Ω 2100W/8Ω 1200W	7,500
			● Soundcraft		
			fibrecast connectors, supplied on reel	RZ2702, 150m optical	10,500
			16in 16 out XLR AES Card	5019847	2,550
			16x AES/EBU card	RS2422	2,700
			fibrecast connectors, supplied on reel	RZ2701, 200m optical	12,300
			32ch BLU Link card	-	1,620
			ADAT 16ch I/O Card	RS2360	2,400
			AES input Card	RS2446	1,800
			AES output Card	RS2447	1,800
			AES/EBU 4+4 XLR card	A520.002000SP	1,800
			AES/EBU 8+8 D type card	A520.003000SP, word clock	1,800
			A-Net Aviom Card	A520.004000SP	4,200
			Aviom 16ch Output Card	RS2497	5,100
			Aviom 16ch Output Card	RS2498	5,400
			Cat5 Dual port MADI	A520.005000SP	1,620
			CobraNet 32ch i/o Card	RS2496	5,400
			CobraNet 32ch i/o Card	A520.006000SP	4,200
			CobraNet 32ch i/o Card	RS2485	5,100
			Compact Stage Box-32/16/Cat5	32in, 16 line out, Dual Cat5 MADI	17,400
			Compact Stage Box-32/8+8/Cat5	32in, 8 line out, 8 AES OUT, Dual Cat5 MADI	17,400
			Compact Stage Box-32/8+8/Optical SC	32in, 8 line out, 8 AES OUT, Dual MM Optical	17,400
			CSB Cat5 MADI HD card	A949.049232	2,850
			CSB Optical MADI HD card Multimode	A949.049032	3,000
			CSB Optical MADI HD card Singlemode	A949.049132	3,600
			Dual port Cat 5 Dante card	5031819	4,200
			EFX8	32 FX settings, 8+2/2/2	1,290
			EFX12	32 FX settings, 12+2/2/2	1,575
			EPM6	Compact high-performance mixers, 6+2/2/2	819
			EPM8	Compact high-performance mixers, 8+2/2/2	945
● 135MA	3-input, 8Ω 35W (70V/100V)	750			
● 160MA	4-input, 8Ω 60W (70V/100V)	1,200			
CDi1000	Dual, per CH-4Ω 500W/8Ω 275W	3,300			
CDi2000	Dual, per CH-4Ω 800W/8Ω 475W	4,200			
CDi4000	Dual, per CH-4Ω 1200W/8Ω 650W	5,700			
CDi6000	Dual, per CH-4Ω 2100W/8Ω 1200W	9,600			
CT4150	4ch, per CH-8Ω 125W	3,300			
CT475	4ch, per CH-8Ω 75W	2,850			
CT8150	8ch, per CH-8Ω 125W	6,600			
CT875	8ch, per CH-8Ω 75W	4,500			
DCi21250	Dual, per CH-4Ω/8Ω 1250W	7,650			
DCi21250N	Dual, per CH-4Ω/8Ω 1250W, BLU Link	11,100			
DCi21300	Dual, per CH-4Ω/8Ω 300W	3,450			
DCi21300N	Dual, per CH-4Ω/8Ω 300W, BLU Link	6,000			
DCi21600	Dual, per CH-4Ω/8Ω 600W	5,100			
DCi21600N	Dual, per CH-4Ω/8Ω 600W, BLU Link	7,800			
DCi41250	4ch, per CH-4Ω/8Ω 1250W	11,700			
DCi41250N	4ch, per CH-4Ω/8Ω 1250W, BLU Link	16,800			
DCi41250ND	4ch, per CH-4Ω/8Ω 1250W, AVB	18,900			
DCi41300	4ch, per CH-4Ω/8Ω 300W	5,550			
DCi4300N	4ch, per CH-4Ω/8Ω 300W, BLU Link	9,300			
DCi41600	4ch, per CH-4Ω/8Ω 600W	8,400			
DCi41600N	4ch, per CH-4Ω/8Ω 600W, BLU Link	12,900			
DCi81300	8ch, per CH-4Ω/8Ω 300W	11,100			
DCi81300N	8ch, per CH-4Ω/8Ω 300W, BLU Link	16,500			
DCi81600	8ch, per CH-4Ω/8Ω 600W	16,800			
DCi81600N	8ch, per CH-4Ω/8Ω 600W, BLU Link	21,000			
DCi81600ND	8ch, per CH-4Ω/8Ω 600W, AVB	25,500			
DSi1000	Dual, per CH-4Ω 475W/8Ω 275W	2,700			
DSi2000	Dual, per CH-4Ω 800W/8Ω 475W	3,900			
DSi4000	Dual, per CH-4Ω 1200W/8Ω 650W	5,400			
DSi6000	Dual, per CH-4Ω 2100W/8Ω 1200W	9,900			
EOLBox	EOL Box	1,500			
IQ3PIPLITE	PIP-Lite IQ Network Input Module	1,800			
IQ3USP3CN	PIP-USP3 DSP PIP Module	6,000			
IQ3USP4CN	DSP-Based PIP Input Module	3,900			
IST	IST	165			



세계적인 음향 브랜드 하만, (주)테크데이터 피에스가 함께합니다.











공식수입사 **TechData** 대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

거래가격 2020년 7월호
조사기간 6월 1일~10일

⑤ 전기 방송음향기기 (29) 1175

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
---	----------------------------------	--

방 송 음 향 시 스템 (29)

(가격단위 : 천원/대)

(생산자공표가격)

品名	規 格	價 格 ①	品名	規 格	價 格 ①
<p>■ 테크데이타피에스</p> <p>● Soundcraft</p> <p>EPM12 Compact high-performance mixers, 12+2/2/2</p> <p>Expression1 Dust Cover gooseneck 207</p> <p>Expression2+Performer 2 Dust Cover Gooseneck, Scribble pad and Pen 228</p> <p>Expression3+Performer 3 Dust Cover 2x Gooseneck, Scribblepad and Pen 330</p> <p>Flightcase for Expression 2 - 1,650</p> <p>Flightcase for Expression 3 - 1,800</p> <p>FX16ii 16direct output sand built-in effects, 16/4/2/2 2,670</p> <p>GB216CH Compact Live Sound Mixer, 16+2/6/2/2 4,890</p> <p>GB224CH Compact Live Sound Mixer, 24+2/6/2/2 6,600</p> <p>GB232CH Compact Live Sound Mixer, 32+2/6/2/2 7,890</p> <p>GB2R12CH 19" Compact installation mixer, 12+2/6/2/2 3,960</p> <p>GB2R16CH 19" Compact installation mixer, 16+2/6/2/2 3,960</p> <p>GB416CH Live Sound Mixer, 16+2/8/4/3 6,210</p> <p>GB424CH Live Sound Mixer, 24+2/8/4/3 7,890</p> <p>GB432CH Live Sound Mixer, 32+2/8/4/3 10,140</p> <p>GB440CH Live Sound Mixer, 40+2/8/4/3 12,000</p> <p>GB824CH Live Sound Console, 24+4/8/8/3 12,000</p> <p>GB832CH Live Sound Console, 32+4/8/8/3 13,890</p> <p>GB840CH Live Sound Console, 40+4/8/8/3 17,250</p> <p>GB848CH Live Sound Console, 48+4/8/8/3 21,600</p> <p>Gooseneck Lamp 18" Right Angle Soundcraft 18" 4pin desk lamp 150</p> <p>GPIO module RS2429 5,100</p> <p>Local Rack Cat5 144,000</p> <p>Local Rack Cat5 Link Card RS2409 2,700</p> <p>Local Rack Optical - 150,000</p> <p>LX-7II16 Multi purpose mixer, 16+2/6/4/3 3,570</p> <p>LX-7II24 Multi purpose mixer, 24+2/6/4/3 4,710</p> <p>LX-7II32 Multi purpose mixer, 32+2/6/4/3 5,820</p> <p>Madi card/Local Rack RS2426, Connectors-multimode 3,000</p> <p>Optical Link card-S RS2563, Connectors-singlemode 3,750</p> <p>MSB-16 16in, 8line out, single cat5 MADI(Si Expression Set 발주시적용) 2,700</p> <p>MSB-16C5 16in, 8line out, single cat5 MADI 3,150</p> <p>MSB-32C5 32in, 8line out, 4AE Sout, Dual Cat5 MADI 6,300</p> <p>MSB-32C5 Si Expression Set 발주시 적용 5,670</p> <p>Multi mode Optical MADI Card A520.001000SP 1,950</p> <p>Multi-Digital32+32USB/Firewire+8+8ADAT 5024024 12,000</p> <p>Realtime Rack Core 14 Plug-ins 16,500</p> <p>Realtime Rack Ultimate 74 Plug-ins 39,000</p> <p>Si Expression 1 16 mic pre's, 16faders, 16xlr outputs 7,200</p> <p>Si Expression 2 24 mic pre's, 24faders, 16xlr outputs 8,400</p> <p>Si Expression 3 32 mic pre's, 24faders, 16xlr outputs processors 10,200</p> <p>Si Performer 1 16 mic pre's, 16fader, 20 sub-group 15,000</p> <p>Si Performer 2 24 mic pre's, 24fader, 20 sub-group 18,000</p> <p>Si Performer 3 32 mic pre's, 32fader, 20 sub-group 21,000</p> <p>Signature 10 10 channel console, 4mono mic/line inputs 1,140</p> <p>Signature 12 12 channel console, 6mono mic/line inputs 1,320</p> <p>Signature 12MTK 12 channel console, 6mono mic/line inputs 1,470</p> <p>Signature 16 16 channel console, 10mono mic/line inputs 2,370</p> <p>Signature 22 22 channel console, 14mono mic/line inputs 2,760</p> <p>Signature 22MTK 22 channel console, 14mono mic/line inputs 2,550</p> <p>Si-Impact 24 mic pre's on XLR, 8Mic/Line on 9,900</p> <p>Single mode Optical MADI Card 5019983.v 1,950</p> <p>Stage-box Cat5 - 36,000</p> <p>Stage-box Cat5 HD Link Card A949.055632 2,700</p> <p>Stage-box Optical - 45,000</p> <p>Stage-box Optical HD Link card-S RS2562, Cconnectors-singlemode 3,600</p> <p>Stage-box Optical HD Link card-S RS2448, Cconnectors-multimode 3,300</p> <p>TDIF Card RS2564 2,400</p>	<p>■ 테크데이타피에스</p> <p>● Soundcraft</p> <p>Ui-12 12 input stomix, 4 mic/line, 4 mic in 1,320</p> <p>Ui-16 16 input stomix, 8 mic/line, 4 mic in 1,800</p> <p>Ui-24R 24 input stomix, 10 mic/line, 10 mic in 4,500</p> <p>Vi1 custom flight-case - 9,000</p> <p>Vi1-32 16 input fader, 8 master fader, 24 buses 72,000</p> <p>Vi1-48 48 local Mic/Line in putsand 16 outputs 72,000</p> <p>Vi1-48C5 Loal-16Mic/Line inputs, 8 line 90,000</p> <p>Vi1-48MO Multimodeoptical 93,000</p> <p>Vi1-64C5 Local-16Mic/Line inputs, 8 line 105,000</p> <p>Vi1-64MO Multimode optical 108,000</p> <p>Vi1000 16 local Mic/Line inputs and 16 outputs 69,000</p> <p>Vi2000 48 local Mic/Line inputs and 16 outputs 105,000</p> <p>Vi3000-48 96 input tomix 135,000</p> <p>Vi3000-72C5 96 input tomix 174,000</p> <p>Vi3000-72MO 96 input tomix 180,000</p> <p>Vi3000-FCS Vi3000 Standard flightcase 12,000</p> <p>Vi4 Cat5 System 96 input to mix 300,000</p> <p>Vi4 Control Surface custom flight-case - 9,000</p> <p>Vi4 Multi Optical System - 315,000</p> <p>Vi4 Surface - 120,000</p> <p>Vi4.2 Cat5 System Ships with 2x Vi Stage box-64 inputs, 32 Outputs 336,000</p> <p>Vi4.2 Optical System Ships with 2x Vi Stage box-64 inputs, 32 Outputs 360,000</p> <p>Vi4/Vi6 12U 19" custom flight-case for Local Rack/Stagebox - 5,400</p> <p>Vi4/Vi6 Script Tray A947.006000 1,875</p> <p>Vi5000 surface - 105,000</p> <p>Vi5000-FC Vi5000 flightcase inc 2x monitor mount+4U of rack space 13,500</p> <p>Vi6Cat5 System 96 input tomix 360,000</p> <p>Vi6 Control Surface custom flight-case - 9,600</p> <p>Vi6 Multi Optical System - 375,000</p> <p>Vi6 Surface Control surface 180,000</p> <p>Vi6.2 Cat5 System Ships with 2x Vi Stage box-64 inputs, 32 Outputs 396,000</p> <p>Vi6.2 Multi Optical System Ships with 2x Vi Stage box-64 inputs, 32 Outputs 420,000</p> <p>Vi7000 surface 165,000</p> <p>Vi7000-FC Vi7000 flightcase inc 2x monitor mount+4U of rack space 15,000</p> <p>Vi-Blulink 5033340 3,600</p> <p>Vi-Dante 5036916 5,100</p> <p>ViLR-48MO 384 io local rack at 48Hz, supports 128 in 180,000</p> <p>ViLR-96MO 384 io local rack at 48Hz&96Hz, supports 128 in 210,000</p> <p>ViSB64:32MO 64 Mic/Line in, 32 Line out 60,000</p> <p>Notepad-5 12 inputs tomix, 1mic/2line in 420</p> <p>Notepad-8FX 8in puts tomix, 2mic/3line in 540</p> <p>Notepad-12FX 12in puts tomix, 4mic/4line in 630</p> <p>● AMX</p> <p>MCP-106P-BL Massio 6-Button Ethernet Control Pad 2,340</p> <p>MCP-106P-WH Massio 6-Button Ethernet Control Pad, Portrait 2,340</p> <p>MCP-106L-BL Massio 6-Button Ethernet Control Pad, Land scape Black 2,340</p> <p>MCP-106L-WH Massio 6-Button Ethernet Control Pad, Land scape White 2,340</p> <p>MCP-108-BL Massio 8-Button Ethernet Control Pad with Knob, Black 2,990</p> <p>MCP-108-WH Massio 8-Button Ethernet Control Pad with Knob, White 2,990</p> <p>NXA-PDU-1508-8 110V/220V-Allows remote reset of devices 4,712.5</p> <p>AVS-EPDGX144-ENC Epica DGX 144 Matrix Switcher Enclosure 451,750</p> <p>AVS-EPDGX144-VO-DVI 16 DVI Connection Epica DGX 144 Output Board 52,000</p> <p>AVS-EPDGX144-OI-SC 16 SC Fiber Connection Epica DGX 144 Input Board 52,325</p> <p>AVS-EPDGX144-OO-SC 16 SC Fiber Connection Epica DGX 144 Output Board 59,637.5</p> <p>AVS-EPDGX144-VI-DVI 16 DVI Connection Epica DGX 144 Input Board 46,475</p> <p>EPICADGX288-ENC Epica DGX 288 Matrix Switcher Enclosure 529,750</p> <p>EPICADGX288-VIO-SMF-S 16 Connection Single Mode Fiber Input/Output Board 92,625</p> <p>EPICADGX288-VIO-MMF-S 16 Connection Multi Mode Fiber Input/Output Board 66,300</p>				


세계적인 음향 브랜드 하만, (주)테크데이타 피에스가 함께합니다.











공식수입사 **TechData** 대표번호 : 02-3272-7600 | A/S문의 : 1661-9474